

# Using the Domain Name System for System Break-ins

*Steven M. Bellovin*

Presented by:

Thomas Repantis

trep@cs.ucr.edu

# Overview

Using DNS to spoof a host's name and access network services that rely on the host name for authentication.

1. Introduction to the Domain Name System
2. Description of the Attack
3. Proposed Defenses
4. Current Status

# Domain Name System (DNS)

- A distributed database, used to map host names to IP addresses, and vice-versa.
- www.cs.ucr.edu  
138.23.169.15
- Paul Mockapetris  
RFCs 882, 883 (1983)  
RFCs 1034, 1035 (1987)

# DNS Basics 1/2

- Periods in domain names define **zones** (www.example.com).
- Servers contain the **authoritative** data for each zone.
- Secondary authoritative servers poll the primary servers.
- If the data has changed, they initiate **zone transfers**.

# DNS Basics 2/2

- The resource records returned are cached locally for some time.
- The authority for a subdomain may be delegated to a subsidiary server (hierarchical namespace).

# Zone Example 1/5

```
$ORIGIN small.com
small.com.          IN      SDA      server.small.com. ghu.ws1.small.com. (
                    901110001 ; Serial
                    3600      ; Refresh
                    800       ; Retry
                    3600000   ; Expire
                    86400    ) ; Minimum Time-to-Live

                    IN      NS      server
                    IN      NS      server.tiny.com.
server             IN      A      222.33.44.1
                    IN      HINFO   Smallic/100 SmallIx
boss              IN      A      222.33.44.2
                    IN      HINFO   Smallic/50 SmallIx
ws1               IN      A      222.33.44.3
                    IN      HINFO   Smallic/40 SmallIx
ws2              IN      A      222.33.44.4
                    IN      HINFO   Smallic/40 SmallIx

; Define a subdomain sales.small.com
sales             IN      NS      thinker.sales.small.com.
                    IN      NS      ws1
droid.sales.small.com IN    A      222.33.45.1
                    IN      A      222.33.44.5
```

# Zone Example 2/5

Start Of Authority (SOA):  
Specifies the source of the zone information.

```
$ORIGIN small.com
small.com.          IN      SDA      server.small.com. gnu.ws1.small.com. (
                                901110001 ; Serial
                                3600      ; Refresh
                                600       ; Retry
                                3600000   ; Expire
                                86400    ) ; Minimum Time-to-Live

                                IN      NS      server
                                IN      NS      server.tiny.com.
server              IN      A      222.33.44.1
boss               IN      A      222.33.44.2
ws1                IN      A      222.33.44.3
ws2                IN      A      222.33.44.4
                  IN      HINFO   Smallic/40 SmallIx

; Define a subdomain sales.small.com
sales              IN      NS      thinker.sales.small.com.
                  IN      NS      ws1
droid.sales.small.com IN      A      222.33.45.1
                  IN      A      222.33.44.5
```

# Zone Example 3/5

## Name Server (NS):

Specifies the authoritative name servers for the domain.

```
$ORIGIN small.com
small.com.      IN      SOA      server.small.com. ghu.ws1.small.com. (
                901110001 ; Serial
                3600    ; Refresh
                600     ; Retry
                3600000 ; Expire
                86400   ) ; Minimum Time-to-Live

                IN      NS       server
server          IN      NS       server.tiny.com.
server         IN      A        222.33.44.1
boss           IN      HINFO    Smalllic/100 SmallIx
boss           IN      A        222.33.44.2
ws1            IN      HINFO    Smalllic/50 SmallIx
ws1            IN      A        222.33.44.3
ws2            IN      HINFO    Smalllic/40 SmallIx
ws2            IN      A        222.33.44.4
ws2            IN      HINFO    Smalllic/40 SmallIx

; Define a subdomain sales.small.com
sales          IN      NS       thinker.sales.small.com.
sales          IN      NS       ws1
droid.sales.small.com IN      A        222.33.45.1
droid.sales.small.com IN      A        222.33.44.5
```



# Zone Example 4/5

Address (A): Specifies the address of a host.

```
$ORIGIN small.com
small.com.      IN      SDA      server.small.com. ghn.ws1.small.com. (
                901110001 ; Serial
                3600      ; Refresh
                600       ; Retry
                3600000   ; Expire
                86400    ) ; Minimum Time-to-Live

                IN      NS      server
                IN      NS      server.tiny.com.
server          IN      A      222.33.44.1
                IN      HINFO   Smallic/100 SmallIx
boss           IN      A      222.33.44.2
                IN      HINFO   Smallic/50 SmallIx
ws1            IN      A      222.33.44.3
                IN      HINFO   Smallic/40 SmallIx
ws2            IN      A      222.33.44.4
                IN      HINFO   Smallic/40 SmallIx

; Define a subdomain sales.small.com
sales          IN      NS      thinker.sales.small.com.
                IN      NS      ws1
droid.sales.small.com IN      A      222.33.45.1
                IN      A      222.33.44.5
```

# Zone Example 5/5

Host Info (HINFO): Specifies host information, like computer and operating system.

```
$ORIGIN small.com
small.com.          IN      SDA      server.small.com. gnu.ws1.small.com. (
                    901110001 ; Serial
                    3600      ; Refresh
                    800       ; Retry
                    3600000   ; Expire
                    86400    ) ; Minimum Time-to-Live

                    IN      NS      server
                    IN      NS      server.tiny.com.
server             IN      A      222.33.44.1
boss              IN      A      222.33.44.2
ws1               IN      HINFO  Smallic/100 SmallIx
ws2               IN      A      222.33.44.3
                  IN      HINFO  Smallic/50 SmallIx
                  IN      A      222.33.44.4
                  IN      HINFO  Smallic/40 SmallIx
                  IN      A      222.33.44.5

; Define a subdomain sales.small.com
sales             IN      NS      thinker.sales.small.com.
                  IN      NS      ws1
droid.sales.small.com IN      A      222.33.45.1
                  IN      A      222.33.44.5
```

# Forward queries

- Forward queries (asking for the IP address, providing a machine name) can be answered using the records from the zone.
- An item may also contain **Additional Information**, (e.g. providing NS *and* A records, when asked for the IP of an unknown host).

# Inverse queries

- Inverse queries (asking for the machine name, providing an IP address) are answered using a separate, parallel tree, keyed by IP address.

```
$ORIGIN 44.33.222.in-addr.arpa
1      IN      PTR      server.small.com.
2      IN      PTR      boss.small.com.
8      IN      PTR      ws1.small.com.
4      IN      PTR      ws2.small.com.
```

# Attack!

- Assumption: Attacker controlling a primary server for a DNS zone, including the inverse mapping tree, as well as all TCP port numbers.
- Attacker's goal: To find hosts that trust other hosts by name.
- Common examples:
  - Clusters of time-sharing machines.
  - File servers and their clients.

# Starring:

- Softy, the victim:

- `bullseye.softy.org 192.193.194.1`

- `ringer.softy.org 192.193.194.64`

- `groundzero.softy.org 192.193.194.65`

- Cuckoo, the attacker:

- `cracker.ritts.org 150.151.152.153`

# Guest star:

The vulnerability in the address-to-name mapping!

- Attacker changes the inverse mapping record for 150.151.152.153 from the correct cracker.ritts.org to ringer.softy.org
- Attacker attempts rlogin to bullseye.



- bullseye, the victim, validates the name of the calling machine:
  - It calls `gethostbyaddr()`, passing `150.151.152.153`.
  - This generates a DNS inverse query for the PTR record for `153.152.151.150.in-addr.arpa`
  - This retrieves `ringer.softy.org`
- Call accepted, attack succeeded.



# Why?

Because there is no forced linkage between the two DNS trees owned by Cuckoo, ritts.org and 152.151.150.in-addr.arpa, allowing the latter's entries to point to softy's hosts.

# The rest are details...

- Finding a target host name.
- Finding a user name to impersonate.
- Finding a machine trusted by the target host.

# SNMP abuse

- Cuckoo finds the target host name from mail message or news article.
- He examines its TCP connection tables using SNMP.

```
$ snmpnetstat bullsaya.softy.org public
Active Internet Connections
Proto Recv-Q Send-Q Local Address           Foreign Address         (state)
tcp      0      0 bullsaya.softy.org.login bullsaya.softy.org.1023 ESTAB
tcp      0      0 bullsaya.softy.org.login ringer.softy.org.1020  ESTAB
tcp      0      0 bullsaya.softy.org.1023 bullsaya.softy.org.login ESTAB
tcp      0      0 bullsaya.softy.org.3593 other.host.com.411     ESTAB
```

# finger abuse

- He examines current users using finger.

```
$ finger @bullseye.softy.org
[bullseye.softy.org]
Login      Name           TTY  Idle  When  Where
user1     User One      co   1:48  Fri   18:18
user1     User One      p0   1:48  Mon   18:15  unix:0.0
user1     User One      p1   3d    Mon   18:15  unix:0.0
user1     User One      p2   3d    Mon   18:15  unix:0.0
user1     User One      p3   1:56  Wed   12:45  unix:0.0
random    Amber Random  p4   3d    Wed   15:51  ringer.softy.org
bingo     Bingo Scores  p5   1:56  Wed   12:46  bullseye.softy.org
user1     User One      p6   12    Fri   12:15  unix:0.0
```

- He concludes: In bullseye, .rhosts file for bingo, authorizing user1 when coming from bullseye.

# Done

- He modifies the appropriate PTR record.
- He creates local login names.
- He attacks.

# Giving away information

Apart from SNMP and finger...

- e-mail,
- DNS (SOA records, zone transfers, HINFO records)
- SMTP
- FTP
- rpcinfo

...can also provide information about the victim.

# The Berkeley fix

Validate the inverse mapping tree by looking at the corresponding node on the forward mapping tree.

- If `gethostbyaddr()` returns `bullseye.softy.org` for `150.151.152.153`, then `gethostbyname()` should return the same IP for the same name.
- Otherwise we have an impersonation.

# How the fix is circumvented...

- The PTR record to answer `gethostbyaddr()`'s request is in Cuckoo's server.
- The A record to answer `gethostbyname()`'s request is in Softy's server.
- *However* the query might be answered by the local machine's name server cache.
- That DNS cache can be **poisoned** by the attacker...



# Danger: Poison!

- The DNS message with the PTR record may contain a bogus A record in the Additional Information field (with short TTL).

```
$ dig -x 150.151.152.153 @server.ritts.org

; <<>> DiG 2.0 <<>> -x @server.ritts.org
;; ->>HEADER<<- opcode: QUERY , status: NOERROR, id: 10
;; flags: qr aa rd ra ; Ques: 1, Ans: 1, Auth: 0, Addit: 2
;; QUESTIONS:
;;      153.252.151.150.in-addr.arpa, type = ANY, class = IN

;; ANSWERS:
153.252.151.150.in-addr.arpa.      30      PTR      bulls-eye.softy.org.

;; ADDITIONAL RECORDS:
bullseye.softy.org.              15      A        150.151.252.153

;; Sent 1 pkts, answer found in time: 70 msec
;; FROM: cracker to SERVER: server.ritts.org 150.151.152.154
;; WHEN: Tue Oct 30 13:20:54 1990
```

- Or the bogus A record can be included in the NS records of a response to a lookup for a hostname

# Therefore...

- Caching-only name servers are vulnerable!
- Authoritative name servers for a domain will reject updates for their zones.
- Hence they cannot be poisoned.
- But they are vulnerable for requests outside their zone.

# Extra measures

- The target can act as a secondary server for the inverse mapping.
- The target can use a local mapping table like NIS before consulting DNS.

# Hardening DNS Servers

- Bogus A records could be tracked back, if DNS server cache entries were tagged with their source.
- Additional Information could be used only in the specific context in which it was returned, and then discarded. (At a performance cost.)

# Defenses

- Use cryptographic instead of name- or address-based authentication (e.g. Kerberos).
- Apart from Berkeley's fix:
  - Limit the trusted hosts to those for which the local machine has authoritative name information.
  - Have the local name server act as a secondary server for important neighboring zones, and thus possess authoritative forward-mapping data.
  - Have all machines possess definitive mapping information for the hosts within an organization.

# Logging and Auditing

- Attempts to impersonate hosts.
- Attempts to update authoritative zones.
- Attempts to connect to rlogind or rshd.
- Compare forward- and inverse-mapping data for a zone.

# Abandon DNS?

- Return to static host tables?  
no (1990) NO! (2004)
- Problem lies not in DNS, but in inadequate host authentication methods.
- The information for host-to-address mapping is distributed, hence contamination from untrustworthy sources is always possible.
- The host table is huge and cannot be updated statically in a frequent and timely manner.

# Is the attack still relevant?

- Paper written in 1990, published in 1995.
- 2004:
  - Name-based authentication is not that widely used anymore (ssh instead of rsh).
  - Firewalls disallow remote connections.
  - Too many BIND fixes since then.
  - Cryptographic authentication of DNS is used in experimental testbeds.
- Main idea still relevant, with new misuses.



# DNS Threats in 2004

- Threat Analysis Of The Domain Name System. D. Atkins. IETF Draft (2003).
  - Packet Interception
  - ID Guessing and Query Prediction
  - Name Games
  - Betrayal By Trusted Server
  - Denial of Service
  - Authenticated Denial of Domain Names
  - Wildcards

# DNSSEC

- DNS Security Extensions to provide end-to-end authenticity and integrity.
- All answers in DNSSEC are digitally signed.
- By checking the signature, a resolver is able to check if the info is identical (correct and complete) to the info on the authoritative server.
- D. Eastlake. RFC 2535 (1987).

# Conclusions

- Inserting bogus resource records in a victim's DNS cache.
- Still possible.
- Luckily, name-based authentication is not that widely used anymore.
- However, other misuses like server redirection are equally **grave**.
- DNSSEC

# References

1. P. Mockapetris. RFC 1034: Domain Concepts and Facilities. IETF, 1987.
2. P. Mockapetris. RFC 1035: Domain Implementation and Specification. IETF, 1987.
3. S. Bellovin. Using the Domain Name System for System Break-ins. USENIX, 1995.
4. P. Vixie. DNS and BIND security issues. USENIX, 1995.
5. C. Schuba and E. Spafford. Addressing weaknesses in the domain name system protocol. Master's thesis, 1993.
6. D. Eastlake. RFC 2535: Domain Name System Security Extensions. IETF, 1999.
7. D. Atkins. Internet Draft: Threat Analysis Of The Domain Name System. IETF, 2003.



# Thank you!

Questions/comments?